_	
- 13	

L Number         Hits         Search Text         DB           2         16087         713/\$.ccls.         USPAT US-PG EPO; J DERWI	
EPO; J DERWI	PUB;
DERW	
DERW	PO;
	ENT:
3 10224 713/\$.ccls. and @ad<19991015 USPAT	
US-PG	
EPO; J	
DERW	
IBM_TC	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	, ,
EPO; J	
DERW	
IBM_T(	
5 ((713/\$.ccls. and @ad<19991015) and (password adj USPAT	-
protection)) and multiprocessor US-PG	
EPO; J	
DERWI	· 1
IBM_TI	
6 326 updat\$3 near1 password USPAT	·
US-PG	
EPO; J	IPO;
	ENT;
	DB
7 179 (updat\$3 near1 password) and @ad<19991015 USPAT	r;       2003/09/17 12:38
US-PG	iPUB;
EPO; J	IPO;
DERW	ENT;
IBM_TI	DB
8 0 ((updat\$3 near1 password) and @ad<19991015) and USPAT	
(multiprocess\$3 same fail\$3) US-PG	
EPO; J	IPO;
DERW	
IBM_T(	
9 0 ((updat\$3 near1 password) and @ad<19991015) and USPAT	
(multiprocess\$3 same failure) US-PG	•
EPO; J	
DERW	
IBM_TI	
10 1 ((updat\$3 near1 password) and @ad<19991015) and USPAT	
(multiprocess\$3 and failure)	
(multiprocess\$5 and failure)	
DERW	
IBM_TI	
1 1==.	
11 5651 fault adj tolerance USPAT	·
EPO; J	
DERW	
IBM_TI	
12   3604   (fault adj tolerance) and @ad<19991015   USPAT	
US-PG	
EPO; J	
DERW	
IBM_TI	
13 547 ((fault adj tolerance) and @ad<19991015) and USPAT	
multiprocessor US-PG	
EPO;	
DERW	
IBM_T	DB

14	285	((fault adj tolerance) and @ad<19991015) and (multi adj	USPAT;	2003/09/17 12:40
		process\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/00/47 40 40
15	679	(((fault adj tolerance) and @ad<19991015) and	USPAT;	2003/09/17 12:46
		multiprocessor) or (((fault adj tolerance) and	US-PGPUB;	
	İ	@ad<19991015) and (multi adj process\$3))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
16	503	((((fault adj tolerance) and @ad<19991015) and	USPAT;	2003/09/17 12:47
	1	multiprocessor) or (((fault adj tolerance) and	US-PGPUB;	
		@ad<19991015) and (multi adj process\$3))) and (computer	EPO; JPO;	
		adj system)	DERWENT;	
			IBM_TDB	
17	4	(((((fault adj tolerance) and @ad<19991015) and	USPAT;	2003/09/17 12:56
		multiprocessor) or (((fault adj tolerance) and	US-PGPUB;	
		@ad<19991015) and (multi adj process\$3))) and (computer	EPO; JPO;	
	1	adj system)) and (processing adj engine)	DERWENT;	
			IBM_TDB	
18	274	(((((fault adj tolerance) and @ad<19991015) and	USPAT;	2003/09/17 12:56
		multiprocessor) or (((fault adj tolerance) and	US-PGPUB;	
		@ad<19991015) and (multi adj process\$3))) and (computer	EPO; JPO;	
		adj system)) and (processing adj unit)	DERWENT;	
			IBM_TDB	
19	43	((((((fault adj tolerance) and @ad<19991015) and	USPAT;	2003/09/17 12:57
		multiprocessor) or (((fault adj tolerance) and	US-PGPUB;	
		@ad<19991015) and (multi adj process\$3))) and (computer	EPO; JPO;	
		adj system)) and (processing adj unit)) and (switch\$3 near1	DERWENT;	
		control\$4)	IBM_TDB	
20	17	(((((((fault adj tolerance) and @ad<19991015) and	USPAT;	2003/09/17 12:58
		multiprocessor) or (((fault adj tolerance) and	US-PGPUB;	
		@ad<19991015) and (multi adj process\$3))) and (computer	EPO; JPO;	
		adj system)) and (processing adj unit)) and (switch\$3 near1	DERWENT;	
		control\$4)) and (detect\$3 near1 fail\$3)	IBM TDB	

L Number	Hits	Search Text	DB	Time stamp
27	443	password adj server	USPAT;	2003/09/17 14:56
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
28	184	(password adj server) and @ad<19991015	USPAT;	2003/09/17 15:26
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	l.,	IBM_TDB	
29	3	((password adj server) and @ad<19991015) and	USPAT;	2003/09/17 14:58
		multiprocess\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
30	4	((password adj server) and @ad<19991015) and (multi adj	USPAT;	2003/09/17 14:58
		process\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
0.4	•	(//	IBM_TDB	0000/00/47 45:00
31	6	(((password adj server) and @ad<19991015) and	USPAT;	2003/09/17 15:23
		multiprocess\$3) or (((password adj server) and	US-PGPUB;	
		@ad<19991015) and (multi adj process\$3))	EPO; JPO;	
			DERWENT;	
22	E707E	server and (replicat\$3 or updat\$3)	IBM_TDB	2003/09/17 15:26
32	57875	Server and (replications of updations)	USPAT; US-PGPUB;	2003/09/17 15.20
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
33	23699	(server and (replicat\$3 or updat\$3)) and @ad<19991015	USPAT;	2003/09/17 15:27
33	20000	(Server and (replication of apparties)) and was 1000 to 10	US-PGPUB;	2000/00/17 10.27
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
34	2557	((server and (replicat\$3 or updat\$3)) and @ad<19991015)	USPAT;	2003/09/17 15:27
- 1		and (start adj up)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
35	0	((server and (replicat\$3 or updat\$3)) and @ad<19991015)	USPAT;	2003/09/17 15:28
		and (power adj on)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
36	3912	((server and (replicat\$3 or updat\$3)) and @ad<19991015)	USPAT;	2003/09/17 15:28
		and (post)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/00/47 47 77
37	5804	(((server and (replicat\$3 or updat\$3)) and @ad<19991015)	USPAT;	2003/09/17 15:28
		and (start adj up)) or (((server and (replicat\$3 or updat\$3))	US-PGPUB;	
		and @ad<19991015) and (post))	EPO; JPO;	
			DERWENT;	
20	0.407	////	IBM_TDB	2002/00/47 45:00
38	3407	((((server and (replicat\$3 or updat\$3)) and @ad<19991015)	USPAT;	2003/09/17 15:29
		and (start adj up)) or (((server and (replicat\$3 or updat\$3))	US-PGPUB;	
		and @ad<19991015) and (post))) and (failure or fail\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	L

42	358	(((((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (start adj up)) or (((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (post))) and (failure or fail\$3)) and	USPAT; US-PGPUB; EPO; JPO;	2003/09/17 15:31
		(switch\$3 near1 control\$4)	DERWENT;	
43	24	((((((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (start adj up)) or (((server and (replicat\$3 or updat\$3))	IBM_TDB USPAT; US-PGPUB;	2003/09/17 15:32
		and @ad<19991015) and (post))) and (failure or fail\$3)) and (switch\$3 near1 control\$4)) and (password with memory)	EPO; JPO; DERWENT; IBM_TDB	
44	0	(((((((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (start adj up)) or (((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (post)))	USPAT; US-PGPUB; EPO; JPO;	2003/09/17 15:37
45	0	and (failure or fail\$3)) and (switch\$3 near1 control\$4)) and (password with memory)) and (initialization adj information) ((((((server and (replicat\$3 or updat\$3)) and	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/09/17 15:44
		@ad<19991015) and (start adj up)) or (((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (post))) and (failure or fail\$3)) and (switch\$3 near1 control\$4)) and (password with memory)) and (initialization adj data)	EPO; JPO; DERWENT; IBM TDB	
46	0	(((((((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (start adj up)) or (((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (post)))	USPAT; US-PGPUB; EPO; JPO;	2003/09/17 15:58
47	0	and (failure or fail\$3)) and (switch\$3 near1 control\$4)) and (password with memory)) and (password near1 updat\$3) (((((((server and (replicat\$3 or updat\$3)) and	DERWENT; IBM_TDB USPAT;	2003/09/17 16:02
		@ad<19991015) and (start adj up)) or (((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (post))) and (failure or fail\$3)) and (switch\$3 near1 control\$4)) and (password with memory)) and (password near1 chang\$3)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
48	0	(((((((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (start adj up)) or (((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (post))) and (failure or fail\$3)) and (switch\$3 near1 control\$4)) and	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/17 16:23
49	0	(password with memory)) and (password near1 server) (((((((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (start adj up)) or (((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (post))) and (failure or fail\$3)) and (switch\$3 near1 control\$4)) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/17 16:23
50	0	(password with memory)) and multiprocess\$3 (((((((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (start adj up)) or (((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (post)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/09/17 16:54
51	5	and (failure or fail\$3)) and (switch\$3 near1 control\$4)) and (password with memory)) and (multi adj process\$3) ((((((server and (replicat\$3 or updat\$3)) and @ad<19991015)	DERWENT; IBM_TDB USPAT;	2003/09/17 15:37
		and (start adj up)) or (((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (post))) and (failure or fail\$3)) and (switch\$3 near1 control\$4)) and (initialization adj information)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
52	3	(((((((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (start adj up)) or (((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (post))) and (failure or fail\$3)) and (switch\$3 near1 control\$4)) and (initialization adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/17 15:44
53	1	((((((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (start adj up)) or (((server and (replicat\$3 or updat\$3)) and @ad<19991015) and (post))) and (failure or fail\$3)) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/09/17 15:58
54	10	(switch\$3 near1 control\$4)) and (password near1 updat\$3)  (((((((server and (replicat\$3 or updat\$3)) and @ad<19991015)	DERWENT; IBM_TDB USPAT;	2003/09/17 16:02
) <del> </del>		and (start adj up)) or (((server and (replicat\$3 or updat\$3)) and @ad<19991015) and @ad<19991015) and (post))) and (failure or fail\$3)) and (switch\$3 near1 control\$4)) and (password near1 chang\$3)	US-PGPUB; EPO; JPO; DERWENT;	2000/09/17 10:02
L	L		IBM_TDB	L

55	0	((((((server and (replicat\$3 or updat\$3)) and @ad<19991015)	USPAT;	2003/09/17 16:23
		and (start adj up)) or (((server and (replicat\$3 or updat\$3))	US-PGPUB;	
		and @ad<19991015) and (post))) and (failure or fail\$3)) and	EPO; JPO;	
		(switch\$3 near1 control\$4)) and (password near1 server)	DERWENT;	
			IBM_TDB	
56	47	((((((server and (replicat\$3 or updat\$3)) and @ad<19991015)	USPAT;	2003/09/17 16:24
		and (start adj up)) or (((server and (replicat\$3 or updat\$3))	US-PGPUB;	
		and @ad<19991015) and (post))) and (failure or fail\$3)) and	EPO; JPO;	
		(switch\$3 near1 control\$4)) and multiprocess\$3	DERWENT;	
			IBM_TDB	
57	15	(((((((server and (replicat\$3 or updat\$3)) and	USPAT;	2003/09/17 16:25
		@ad<19991015) and (start adj up)) or (((server and	US-PGPUB;	
		(replicat\$3 or updat\$3)) and @ad<19991015) and (post)))	EPO; JPO;	
		and (failure or fail\$3)) and (switch\$3 near1 control\$4)) and	DERWENT;	
		multiprocess\$3) and (primary adj process\$3)	IBM_TDB	
58	41		USPAT;	2003/09/17 16:54
		and (start adj up)) or (((server and (replicat\$3 or updat\$3))	US-PGPUB;	
		and @ad<19991015) and (post))) and (failure or fail\$3)) and	EPO; JPO;	
		(switch\$3 near1 control\$4)) and (multi adj process\$3)	DERWENT;	
			IBM_TDB	
59	14	1111111	USPAT;	2003/09/17 16:55
		@ad<19991015) and (start adj up)) or (((server and	US-PGPUB;	
		(replicat\$3 or updat\$3)) and @ad<19991015) and (post)))	EPO; JPO;	
		and (failure or fail\$3)) and (switch\$3 near1 control\$4)) and	DERWENT;	
		(multi adj process\$3)) and (password)	IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
60	10896	380/\$.ccls.	USPAT;	2003/09/17 17:11
Í			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
61	7982	380/\$.ccls. and @ad<19991015	USPAT;	2003/09/17 17:13
Ì			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	Ì
			IBM_TDB	
64	104	(380/\$.ccls. and @ad<19991015) and (password near1	USPAT;	2003/09/17 17:16
-		(chang\$3 or updat\$3 or replicat\$3 oe replac\$4))	US-PGPUB:	
		(40.20.94.2.4.4)	EPO; JPO;	
			DERWENT:	ĺ
Ī			IBM_TDB	
66	37	((380/\$.ccls. and @ad<19991015) and (password near1	USPAT;	2003/09/17 18:13
	O,	(chang\$3 or updat\$3 or replicat\$3 oe replac\$4))) and	US-PGPUB;	2000/03/11 10:10
		(memory with password)	EPO; JPO;	
		(monory mar password)	DERWENT;	}
ļ			IBM_TDB	
67	0	(((380/\$.ccls. and @ad<19991015) and (password near1	USPAT;	2003/09/17 17:18
07	U	((1300/4:0015: and @ad<19991015) and (password near) (chang\$3 or updat\$3 or replicat\$3 oe replac\$4))) and	US-PGPUB;	2003/09/17 17.16
		(memory with password)) and (multiprocess\$3 or (multi adj		
		1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	EPO; JPO;	
		process\$3))	DERWENT;	
68	0	///280/C asia and @ad<10001015) and /necessard near1	IBM_TDB	000000047.47.40
00	U	(((380/\$.ccls. and @ad<19991015) and (password near1	USPAT;	2003/09/17 17:18
		(chang\$3 or updat\$3 or replicat\$3 oe replac\$4))) and	US-PGPUB;	
		(memory with password)) and multiprocess\$3	EPO; JPO;	
			DERWENT;	
60	0	///200/©I	IBM_TDB	
69	0	(((380/\$.ccls. and @ad<19991015) and (password near1	USPAT;	2003/09/17 17:19
		(chang\$3 or updat\$3 or replicat\$3 oe replac\$4))) and	US-PGPUB;	
		(memory with password)) and (multi adj process\$3)	EPO; JPO;	
			DERWENT;	
70	44	///000/0	IBM_TDB	
70	11	(((380/\$.ccls. and @ad<19991015) and (password near1	USPAT;	2003/09/17 17:20
		(chang\$3 or updat\$3 or replicat\$3 oe replac\$4))) and	US-PGPUB;	
		(memory with password)) and (backup or (back adj up))	EPO; JPO;	
			DERWENT;	
_,			IBM_TDB	
71	40	((380/\$.ccls. and @ad<19991015) and (password near1	USPAT;	2003/09/17 18:14
		(chang\$3 or updat\$3 or replicat\$3 oe replac\$4))) and (stor\$3	US-PGPUB;	
		near1 password)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
72	4	(((380/\$.ccls. and @ad<19991015) and (password near1	USPAT;	2003/09/17 18:30
		(chang\$3 or updat\$3 or replicat\$3 oe replac\$4))) and (stor\$3	US-PGPUB;	
		near1 password)) and multiprocess\$3	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
73	0	(((380/\$.ccls. and @ad<19991015) and (password near1	USPAT;	2003/09/17 18:31
1		(chang\$3 or updat\$3 or replicat\$3 oe replac\$4))) and (stor\$3	US-PGPUB;	
1		near1 password)) and (multi adj process\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
75	12304	primary near1 control\$4	USPAT;	2003/09/17 18:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	ł
			IBM_TDB	
76	26	(primary near1 control\$4) and (password and	USPAT;	2003/09/17 18:46
		multiprocess\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
77	23	(primary near1 control\$4) and (password and (multi adj	USPAT;	2003/09/17 18:48
		process\$3))	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
78	31	((primary near1 control\$4) and (password and	USPAT;	2003/09/17 18:48
		multiprocess\$3)) or ((primary near1 control\$4) and	US-PGPUB;	
		(password and (multi adj process\$3)))	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
79	27	(((primary near1 control\$4) and (password and	USPAT;	2003/09/17 18:55
		multiprocess\$3)) or ((primary near1 control\$4) and	US-PGPUB;	
		(password and (multi adj process\$3)))) and (updat\$3 or	EPO; JPO;	
		replicat\$3)	DERWENT;	
			IBM_TDB	
80	1	((((primary near1 control\$4) and (password and	USPAT;	2003/09/17 18:54
]		multiprocess\$3)) or ((primary near1 control\$4) and	US-PGPUB;	
1		(password and (multi adj process\$3)))) and (updat\$3 or	EPO; JPO;	
		replicat\$3)) and (password with memory)	DERWENT;	
			IBM_TDB	
81	0	((((primary near1 control\$4) and (password and	USPAT;	2003/09/17 19:09
İ		multiprocess\$3)) or ((primary near1 control\$4) and	US-PGPUB;	
ł		(password and (multi adj process\$3)))) and (updat\$3 or	EPO; JPO;	
		replicat\$3)) and (password near1 stor\$3)	DERWENT;	
[		l	IBM_TDB	
82	19	((((primary near1 control\$4) and (password and	USPAT;	2003/09/17 18:54
İ		multiprocess\$3)) or ((primary near1 control\$4) and	US-PGPUB;	
1		(password and (multi adj process\$3)))) and (updat\$3 or	EPO; JPO;	
l		replicat\$3)) and (password with stor\$3)	DERWENT;	
		L.,	IBM_TDB	
83	0	(((primary near1 control\$4) and (password and	USPAT;	2003/09/17 18:56
		multiprocess\$3)) or ((primary near1 control\$4) and	US-PGPUB;	
		(password and (multi adj process\$3)))) and (updat\$3 near1	EPO; JPO;	
		password)	DERWENT;	
	-		IBM_TDB	0000/00/47 40 50
84	0	(((primary near1 control\$4) and (password and	USPAT;	2003/09/17 18:56
1		multiprocess\$3)) or ((primary near1 control\$4) and	US-PGPUB;	
		(password and (multi adj process\$3)))) and (replicat\$3 near1	EPO; JPO;	
		password)	DERWENT;	
25	_	/// ·	IBM_TDB	0000/00/47 40 50
85	2	(((primary near1 control\$4) and (password and	USPAT;	2003/09/17 18:56
		multiprocess\$3)) or ((primary near1 control\$4) and	US-PGPUB;	
		(password and (multi adj process\$3)))) and (chang\$3 near1	EPO; JPO;	
		password)	DERWENT;	
			IBM_TDB	0000/00/47 40 55
86	9675	(primary near1 control\$4) and @ad<19991015	USPAT;	2003/09/17 19:06
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	<u> </u>

87	12	((primary near1 control\$4) and @ad<19991015) and	USPAT;	2003/09/17 19:21
U1	'2	(password near1 (updat\$3 or chang\$3 or replac\$4))	US-PGPUB;	2000/00/1/ 19.21
		passivera fiear (apacitos er enangos er replacos ///	EPO; JPO;	
			DERWENT:	
			IBM TDB	
88	2	(((primary near1 control\$4) and @ad<19991015) and	USPAT;	2003/09/17 19:13
		(password near1 (updat\$3 or chang\$3 or replac\$4))) and	US-PGPUB;	
		(password near1 stor\$3)	EPO; JPO;	
		"	DERWENT;	
			IBM TDB	
89	19	((primary near1 control\$4) and @ad<19991015) and	USPAT;	2003/09/17 19:29
		(password near1 stor\$3)	US-PGPUB;	
•			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
90	1	(((primary near1 control\$4) and @ad<19991015) and	USPAT;	2003/09/17 19:14
		(password near1 stor\$3)) and (multiprocess\$3 or (multi adj	US-PGPUB;	
		process\$3))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/00/47 40 00
91	27	((primary near1 control\$4) and @ad<19991015) and (server	USPAT;	2003/09/17 19:22
		adj fail\$3)	US-PGPUB;	
			EPO; JPO; DERWENT:	
00	0	(((nrimany poor1 control\$4) and @ad<19991015) and (conver	IBM_TDB USPAT;	2003/09/17 19:30
92	"	(((primary near1 control\$4) and @ad<19991015) and (server adj fail\$3)) and (password near1 stor\$3)	US-PGPUB;	2003/08/17 18.30
		auj ialigoj) ariu (passworu liear i storgo)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
93	5	(((primary near1 control\$4) and @ad<19991015) and (server	USPAT:	2003/09/17 19:30
		adj fail\$3)) and (password with stor\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	